

In the Claims:

1-25. (Cancelled).

26. (New) A method of collecting data for use in generating a document, comprising:

selecting, via a portable image capture device, a first template identifier stored in the portable image capture device, wherein the first template identifier identifies a first template that is not stored in the portable image capture device;

obtaining, by the portable image capture device, a first input identifier associated with the first template identifier, wherein the first input identifier identifies a first location in the first template;

based on the first input identifier, prompting, by the portable image capture device, a user to capture first data; and

storing, by the portable image capture device, the first data in the portable image capture device in association with the first input identifier.

27. (New) The method of claim 26, further comprising:

obtaining a second input identifier associated with the first template identifier, wherein the second input identifier identifies a second location in a second template;

based on the second input identifier, prompting the user to capture second data; and

storing the second data in the portable image capture device in association with the second input identifier.

28. (New) The method of claim 27, further comprising:

communicating the first template identifier, the first data and the second data to a computer;

integrating, by the computer, the first data into the first template at the first location; and

integrating the second data into the first template at the second location to generate the document.

29. (New) The method of claim 26, wherein the first input identifier further comprises a first textual prompt used by the portable image capture device to prompt the user to capture the first data.

30. (New) The method of claim 27, wherein the first data comprises image data, and wherein prompting the user to capture the first data comprises prompting the user to capture an image via the portable image capture device, and wherein the second data comprises textual data, and wherein prompting the user to capture the second data comprises prompting the user to enter the textual data via the portable image capture device.

31. (New) The method of claim 27, wherein the first data comprises first image data, and wherein prompting the user to capture the first data comprises prompting the user to capture a first image via the portable image capture device, and wherein the second data comprises second image data, and wherein prompting the user to capture the second data comprises prompting the user to capture a second image via the portable image capture device.

32. (New) The method of claim 26, further comprising selecting, via the portable image capture device, the first template identifier from a plurality of template identifiers.

33. (New) A portable image capture device comprising:

a memory comprising a first template identifier that identifies a first template that is not stored in the portable image capture device, and a first input identifier associated with the first template identifier wherein the first input identifier identifies a first location in the first template; and

the portable image capture device being adapted to:

receive a selection of the first template identifier by a user;

obtain the first input identifier in response to the selection;

based on the first input identifier, prompt the user to capture first data; and

store the first data in the memory in association with the first input identifier.

34. (New) The portable image capture device of claim 33, wherein the memory further comprises a second input identifier associated with the first template identifier; wherein the second input identifier identifies a second location in a second template; and wherein the portable image capture device is further adapted to:
- based on the second input identifier, prompt the user to capture second data; and
 - store the second data in the memory in association with the second input identifier.
35. (New) The portable image capture device of claim 34, wherein the portable image capture device is further adapted to communicate the first template identifier, the first data, and the second data to a computer for integration, by the computer, into the first template to generate a document.
36. (New) The portable image capture device of claim 33, wherein the first input identifier comprises a first textual prompt used by the portable image capture device to prompt the user to capture the first data.
37. (New) The portable image capture device of claim 34, wherein the first data comprises image data, and wherein to prompt the user to capture the first data the portable image capture device is further adapted to prompt the user to capture an image, and wherein the second data comprises textual data, and wherein to prompt the user to capture the second data the portable image capture device is further adapted to prompt the user to enter the textual data via the portable image capture device.
38. (New) The portable image capture device of claim 34, wherein the first data comprises first image data, and wherein to prompt the user to capture the first data the portable image capture device is further adapted to prompt the user to capture a first image via the portable image capture device, and wherein the second data comprises second image data, and wherein to prompt the user to capture the second data the portable image capture device is further adapted to prompt the user to capture a second image via the portable image capture device.

39. (New) The portable image capture device of claim 33, wherein the first template identifier is selected from a plurality of template identifiers.

40. (New) A computer readable medium containing program instructions which, when executed on a portable image capture device, cause the device to implement a method of collecting data for use in generating a document comprising:

- selecting a first template identifier stored in the portable image capture device, wherein the first template identifier identifies a first template that is not stored in the portable image capture device;

- obtaining a first input identifier associated with the first template identifier, wherein the first input identifier identifies a first location in the first template;

- based on the first input identifier, prompting a user to capture first data; and

- storing the first data in the portable image capture device in association with the first input identifier.

41. (New) The computer readable medium of claim 40, wherein the method further comprises:

- obtaining a second input identifier associated with the first template identifier, wherein the second input identifier identifies a second location in a second template;

- based on the second input identifier, prompting the user to capture second data; and

- storing the second data in the portable image capture device in association with the second input identifier.

42. (New) The computer readable medium of claim 40, wherein the first input identifier further comprises a first textual prompt used by the portable image capture device to prompt the user to capture the first data.

43. (New) The computer readable medium of claim 41, wherein the first data comprises image data, and wherein prompting the user to capture the first data comprises prompting the user to capture an image via the portable image capture device, and wherein the second data

comprises textual data, and wherein prompting the user to capture the second data comprises prompting the user to enter the textual data via the portable image capture device.

44. (New) The computer readable medium of claim 41, wherein the first data comprises first image data, and wherein prompting the user to capture the first data comprises prompting the user to capture a first image via the portable image capture device, and wherein the second data comprises second image data, and wherein prompting the user to capture the second data comprises prompting the user to capture a second image via the portable image capture device.

45. (New) The computer readable medium of claim 40, wherein the method further comprises selecting, via the portable image capture device, the first template identifier from a plurality of template identifiers.